

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. APPLICATION NO. FILING DATE 1997 11745-025 12/11/2003 Keith D. Weiss 10/734,758 EXAMINER 7590 09/23/2005 FERGUSON, MARISSA L Lawrence G. Almeda **BRINKS HOFER GILSON & LIONE** PAPER NUMBER ART UNIT P.O. Box 10395 Chicago, IL 60610 2854

DATE MAILED: 09/23/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			A.H
	Application No.	Applicant(s)	
	10/734,758	WEISS ET AL.	
Office Action Summary	Examiner	Art Unit	
	Marissa L. Ferguson	2854	
The MAILING DATE of this communication ap Period for Reply	pears on the cover sheet with the	correspondence addres	s s
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDON	DN. imely filed m the mailing date of this commu IED (35 U.S.C. § 133).	
Status			
1) Responsive to communication(s) filed on 01	July 2005.		
•	s action is non-final.		
3) Since this application is in condition for allowated closed in accordance with the practice under			erits is
Disposition of Claims			
4) ☑ Claim(s) 11-22 and 24-35 is/are pending in the 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) 11-22 and 24-35 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/are	awn from consideration.		
Application Papers			
9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 11 December 2003 is/ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the E	are: a) \boxtimes accepted or b) \square objeed drawing(s) be held in abeyance. Sometion is required if the drawing(s) is consistent of the drawing(s) is consistent or \square	ee 37 CFR 1.85(a). objected to. See 37 CFR 1	I.121(d).
Priority under 35 U.S.C. § 119			
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	nts have been received. Its have been received in Applica Ority documents have been recei au (PCT Rule 17.2(a)).	ation No ved in this National Sta	ge
Attachment(s) 1)	4) 🔲 Interview Summa	ry (PTO-413)	
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper No(s)/Mail		2)

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 11-13,15 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776).

Thakrar et al. teaches an ink with added thixotropic agents that are used to imprint patterns on one or both sides of a lens casting mold (Column 3, Lines 33-37 and Column 4, Lines 26-39). However, he does not explicitly disclose a plastic substrate and a thixotropic network magnitude of between 3x10 ⁴ and 6x10⁵ dynes/cm²-sec⁻¹, a thixotropic network strength of at least 35.0 gm-cm and thixotropic creep viscosity of between 8x10² to 9x10⁴ poise and a tan ratio of at least 1. Li et al. teaches a mold that made from a material selected from the group consisting of polyvinyl chloride, polycarbonate and polyester (Column 10, Claim 10). However, Thakrar et al. and Li et al. does not teach a thixotropic network magnitude of between 3x10 ⁴ and 6x10⁵ dynes/cm²-sec⁻¹, a thixotropic network strength of at least 35.0 gm-cm and thixotropic creep viscosity of between 8x10² to 9x10⁴ poise and a tan ratio of at least 1.

It is common knowledge that thixotropic inks have the claimed qualities such as strength, magnitude and creep viscosity to form a strong-based resistant ink as

Page 3

Art Unit: 2854

disclosed by Thakrar et al. (Column 4, Lines 8-10). Also, it has been held that where general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller, 105 USPQ 233*. It would have been obvious to provide and test the claimed ranges, since such a modification would result in finding the correct qualities in order to prevent running of the ink when applied to a surface of a mold.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention as taught by Thakrar et al. to replace the mold thereof with a plastic mold as taught by Li et al., since Li et al. teaches that it is advantageous for providing an economical way to improve manufacturing quality of contact lenses.

2. Claims 14,16-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776) as applied to claim 11 above, and further in view of Shimokuni (US Patent 5,727,459).

Regarding claims 14,16 and 17, Thakrar et al. and Li et al. both teach the claimed invention including a synthetic resin (Column 3, Lines 33-37 and Column 14, Lines 14-17 as taught by Thakrar. However, Thakrar et al. and Li et al. do not explicitly disclose a polymeric resin including at least one of a polycarbonate resin, a PVC resin, a polyester resin, an acrylic resin, a vinyl resin, a cellulosic resin, an alkyd resin, a formaldehyde derived resin, an epoxy resin, a polyurethane resin, a silicone resin, a silicate resin, an amino resin, a polyamide resin, a phenolic resin and a hydrocarbon solvent including at least one of an aliphatic hydrocarbon, an aromatic hydrocarbon, a

naphthenic hydrocarbon, a chlorinated hydrocarbon, a terpene solvent, an oxygenated solvent, ketones, an ester, a glycol ether, an alcohol. an acetate, a nitroparaffin, a furan or solvent having a predetermined evaporation rate. Shimokuni teaches printing on a plastic surface using a screen/pad printing ink using a base such as aromatic, ketone, alcohol and ester hydrocarbon solvents (Abstract and Column 11, Lines 26-38) and a resin including a vinyl chloride resin, polyester resin and a cellulose resin (Column 11, Lines 26-38).

Page 4

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink and resin thereof with an ink with a hydrocarbon and a resin with an additional filler as taught by Shimokuni, since Shimokuni teaches that it is advantageous to have an ink and a resin with added fillers and bases in order to improve wettability and optimize viscosity.

Regarding claim 18, Thakrar et al. teaches a thixotrope including a fumed silica (Column 7, Lines 40-45).

3. Claims 19,20 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776) and Shimokuni (US Patent 5,727,459) as applied to claim 14 above, further in view of Komori et al. (US Patent 4,835,576) and Al'Hariri (US Patent 4,910,070).

Regarding claims 19 and 22, Thakrar et al., Li et al and Shimokuni all teach the invention claimed with the exception of an ink comprising a pigment disposed in the ink for opacity or color, an additive to disperse the pigment the additive including a

surfactant, a dispersant, or mixtures thereof and a catalyst to initiate cross-linking between polymer chains in the resin. Komori et al. teaches an ink containing an opaquing pigment and a surfactant (Column 9, Lines 57-65). However, he does not disclose a catalyst including at least one of an isocyanate, a metal drier, an acid, a base or a peroxide. Al'Hariri teaches an acid catalyst for use in polymer inks for initiating cross-linking (Column 4, Lines 3-7, Lines 34-40 and Column 5, Lines 23-25). It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink thereof with an ink with an opaque pigment as taught by Komori et al., since Komori et al. teaches that it is advantageous to provide light-transmissable and/or reflectable areas for constituting an image on a lith type film and to replace the ink thereof with an ink with a catalyst as taught by Al'Hariri to provide a more aesthetically appearance.

Regarding claim 20, Thakrar et al. teaches a pigment including phthalocyanine blue, phthalocyanine green and titanium dioxide (Column 3, Lines 3-4).

4. Claims 21 is rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776), Shimokuni (US Patent 5,727,459), Komori et al. (US Patent 4,835,576) and Al'Hariri (US Patent 4,910,070) as applied to claim 19, further in view of Fry (US Patent 5,456,743).

Thakrar et al., Li et al., Shimokuni, Komori et al. and Al'Hariri all teach the claimed invention with the exception of a surfactant including at least one of the following a metallic soap, a sulfonate, a phosphate ester, a fatty acid ester, a fluoroaliphatic polymeric ester, a titanate coupling agent, a ziconate coupling agent, an

aluminate coupling agent, an organomodified polysiloxane, a block copolymers of poly(alkylene oxide), Hypermee, Solsperse@, a hyperdispersants, a base neutralized fatty alcohol sulfate, a polyamino-amide phosphate, or carbtxyllc acid. Fry teaches a fatty acid surfactant (Column 7, Lines 56-59). It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink thereof with an ink with fatty acid ester surfactant as taught by Fry, since Fry teaches that it is advantageous to reduce the melt viscosity and release air trapped by the powdery components of the ink composition.

Regarding claim 20, Thakrar et al. teaches a pigment including phthalocyanine blue, phthalocyanine green and titanium dioxide (Column 3, Lines 3-4).

5. Claims 24-27 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776) and De Bastiani et al. (US Patent 5,749,292).

Regarding claims 24-27, Thakrar et al. teaches an ink with added thixotropic agents that are used to imprint patterns on one or both sides of a lens casting mold (Column 3, Lines 33-37 and Column 4, Lines 26-39). However, he does not explicitly disclose a plastic substrate and a thixotropic network magnitude of between 3x10 ⁴ and 6x10⁵ dynes/cm²-sec⁻¹, a thixotropic network strength of at least 35.0 gm-cm and thixotropic creep viscosity of between 8x10² to 9x10⁴ poise and a tan ratio of at least 1 and applying a printed decoration through a screen to a membrane, forming the membrane to the geometry of the surface of an article, pressing the membrane and the

article together in forced contact, maintaining pressure between the membrane and the article to transfer the membrane image from the membrane to the article.

Li et al. teaches a mold that conforms to the geometry of a lens (Column 5, Lines 28-30) and a mold that is made from a material selected from the group consisting of polyvinyl chloride, polycarbonate and polyester (Column 10, Claim 10). However, Thakrar et al. and Li et al. does not teach a thixotropic network magnitude of between $3x10^4$ and $6x10^5$ dynes/cm²-sec¹, a thixotropic network strength of at least 35.0 gm-cm and thixotropic creep viscosity of between $8x10^2$ to $9x10^4$ poise and a tan ratio of at least 1 and applying a printed decoration through a screen to a membrane, pressing the membrane and the article together in forced contact and maintaining pressure between the membrane and the article to transfer the membrane image from the membrane to the article.

It is common knowledge that thixotropic inks have the claimed qualities such as strength, magnitude and creep viscosity to form a strong-based resistant ink as disclosed by Thakrar et al. (Column 4, Lines 8-10). Also, it has been held that where general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. *In re Aller, 105 USPQ 233*. It would have been obvious to provide and test the claimed ranges, since such a modification would result in finding the correct qualities in order to prevent running of the ink when applied to a surface of a mold. De Bastiani et al. teaches applying a printed decoration through a screen to a membrane (Column 3, Lines 12-32, Lines 53-67 and many references throughout patent), pressing the membrane and the article together in

forced contact (Column 7, Lines 18-23 and Lines 43-49) and maintaining pressure between the membrane and the article to transfer the membrane image from the membrane to the article (Column 7, Lines 51-67, Column 8, Lines 1-12 and many reference throughout patent).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the invention as taught by Thakrar et al. to replace the mold thereof with a plastic mold as taught by Li et al., since Li et al. teaches that it is advantageous for providing an economical way to improve manufacturing quality of contact lenses and to include a decoration through a screen and pressure as taught by DeBastiani et al., since DeBastiani et al. teaches that it is advantageous to accurately provide complex and precise designs to an article.

Regarding claim 29, Thakrar et al. teaches a thixotrope including a fumed silica (Column 7, Lines 40-45).

6. Claims 28,30 rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776) and De Bastiani et al. (US Patent 5,749,292) as applied to claim 24 above, and further in view of Shimokuni (US Patent 5,727,459).

Thakrar et al., Li et al. and De Bastiani et al. all teach the claimed invention including a synthetic resin (Column 3, Lines 33-37 and Column 14, Lines 14-17) as taught by Thakrar et al.. However, the references do not explicitly disclose a polymeric resin including at least one of a polycarbonate resin, a PVC resin, a polyester resin, an

Application/Control Number: 10/734,758

Art Unit: 2854

acrylic resin, a vinyl resin, a cellulosic resin, an alkyd resin, a formaldehyde derived resin, an epoxy resin, a polyurethane resin, a silicone resin, a silicate resin, an amino resin, a polyamide resin, a phenolic resin and a hydrocarbon solvent including at least one of an aliphatic hydrocarbon, an aromatic hydrocarbon, a naphthenic hydrocarbon, a chlorinated hydrocarbon, a terpene solvent, an oxygenated solvent, ketones, an ester, a glycol ether, an alcohol. an acetate, a nitroparaffin, a furan or solvent having a predetermined evaporation rate. Shimokuni teaches printing on a plastic surface using a screen/pad printing ink using a base such as aromatic, ketone, alcohol and ester hydrocarbon solvents (Abstract and Column 11, Lines 26-38) and a resin including a vinyl chloride resin, polyester resin and a cellulose resin (Column 11, Lines 26-38).

Page 9

It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink and resin thereof with an ink with a hydrocarbon and a resin with an additional filler as taught by Shimokuni, since Shimokuni teaches that it is advantageous to have an ink and a resin with added fillers and bases in order to improve wettability and optimize viscosity.

7. Claims 31,32 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776), De Bastiani et al. (US Patent 5,749,292) and Shimokuni (US Patent 5,727,459) as applied to claim 24 above, further in view of Komori et al. (US Patent 4,835,576) and Al'Hariri (US Patent 4,910,070).

Application/Control Number: 10/734,758 Page 10

Art Unit: 2854

Regarding claims 31 and 34, Thakrar et al., Li et al., De Bastiani et al. and Shimokuni all teach the invention claimed with the exception of an ink comprising a pigment disposed in the ink for opacity or color, an additive to disperse the pigment the additive including a surfactant, a dispersant, or mixtures thereof and a catalyst to initiate cross-linking between polymer chains in the resin. Komori et al. teaches an ink containing an opaquing pigment and a surfactant (Column 9, Lines 57-65). However, he does not disclose a catalyst including at least one of an isocyanate, a metal drier, an acid, a base or a peroxide. Al'Hariri teaches an acid catalyst for use in polymer inks for initiating cross-linking (Column 4, Lines 3-7, Lines 34-40 and Column 5, Lines 23-25). It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink thereof with an ink with an opaque pigment as taught by Komori et al., since Komori et al. teaches that it is advantageous to provide light-transmissable and/or reflectable areas for constituting an image on a lith type film and to replace the ink thereof with an ink with a catalyst as taught by Al'Hariri to provide a more aesthetically appearance.

Regarding claim 32, Thakrar et al. teaches a pigment including phthalocyanine blue, phthalocyanine green and titanium dioxide (Column 3, Lines 3-4).

8. Claims 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Thakrar et al. (US Patent 6,284,161) in view of Li et al. (US Patent 6,565,776), De Bastiani et al. (US Patent 5,749,292), Shimokuni (US Patent 5,727,459), Komori et al. (US Patent

4,835,576) and Al'Hariri (US Patent 4,910,070) as applied to claim 19, further in view of Fry (US Patent 5,456,743).

Thakrar et al., Li et al., De Bastiani et al., Shimokuni, Komori et al. and Al'Hariri teaches the claimed invention with the exception of a surfactant including at least one of the following a metallic soap, a sulfonate, a phosphate ester, a fatty acid ester, a fluoroaliphatic polymeric ester, a titanate coupling agent, a ziconate coupling agent, an aluminate coupling agent, an organomodified polysiloxane, a block copolymers of poly(alkylene oxide), Hypermee, Solsperse@, a hyperdispersants, a base neutralized fatty alcohol sulfate, a polyamino-amide phosphate, or carbtxylic acid. Fry teaches a fatty acid surfactant (Column 7, Lines 56-59). It would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the invention as taught by Thakrar et al. to replace the ink thereof with an ink with fatty acid ester surfactant as taught by Fry, since Fry teaches that it is advantageous to reduce the melt viscosity and release air trapped by the powdery components of the ink composition.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Marissa L. Ferguson whose telephone number is (571) 272-2163. The examiner can normally be reached on (M-T) 6:30am-4:00pm and every other (F) 7:30am-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on (571) 272-2168. The fax phone

Application/Control Number: 10/734,758 Page 12

Art Unit: 2854

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Marissa L Ferguson Examiner Art Unit 2854

MH

ANDREW H. HIRSHFELD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600